

1. A trim unit for a hose faucet comprising a base and a ring;
said base having a nailing flange and a back wall and a first wall
extending up from said base and said back wall defining a hole to permit
passage of a water pipe;
- 5 said ring adapted to snap onto said first wall;
a cover adapted to mate with to said trim unit and cover said
back wall;
said cover having an inner area which provides clearance for a
hose faucet.

2. The trim unit claimed in claim 1 wherein said ring fits within said first wall and wherein said cover snaps onto said ring.

3. The trim unit claimed in claim 2 wherein said cover snaps onto an interior surface of said ring.

4. The trim unit claimed in claim 1 wherein said cover attaches to an exterior edge of said ring.

5. The trim unit claimed in claim 1 wherein said ring fits over said first wall and said cover attaches to said first wall.

6. A trim unit attached to a wall and covering a hose faucet attached to a water pipe extending through a wall of said building, said trim unit comprising a base unit and a ring, said base having a nailing flange and being affixed to said building wall and defining a hole, said pipe extending
5 through said hole, said faucet attached to said pipe and said base unit having a first wall surrounding said faucet and said pipe;

a ring attached to said wall of said base unit;

an insulating cover attached to said trim unit.

7. The trim unit claimed in claim 6 wherein said cover attaches to an inside surface of said trim ring.
8. The trim unit claimed in claim 6 wherein said cover is attached to an exterior edge of said trim ring.
9. The trim unit claimed in claim 6 wherein said cover attaches to said first wall of said base unit.